Hybrid Pro Modular Kit:
Hybrid Pro Modular Kit 10



TEMPLATE @ 1/2 SIZE

Dye Sub Graphic Panel A and F
Total Graphic Area: 95.4375"w x 98.375"h
Finished Graphic Area: 91.4375"w x 94.4375"h

Dye Sub Graphic Panel B and E
Total Graphic Area: 15.6875 x 98.375"h
Finished Graphic Area: 11.6875"w x 94.375"h

Dye Sub Graphic Panel C and D
Total Graphic Area: 73.0625"w x 98.375"h
Finished Graphic Area: 69.0625"w x 94.375"h

UV Graphic Panel G (Cabinet Door)
Total Graphic Area: 32.625"w x 32.75"h
Finished Graphic Area: 31.625"w x 31.75"h

Please be sure to include a 2" bleed
around the perimeter of panel A, B, C, D, E and F.

Please be sure to include a .5" bleed
around the perimeter of panel G.

Please consider obstructions and spaces
created by the extrusions when designing
your graphics.

General Art Guidelines:

– CMYK Color Mode
– All Solid Coated Pantone colors should
be called out in the art as spot colors
– Embed all images and support files
– Resolution must be 200-240 ppi at
1/2 size. 100-120 ppi at full size
– All fonts must be created to outlines
– Do not scale artboard
– Background colorimages must
bleed to the edge of artboard
– Do not use spot colors from template
in your artwork as they will not print

Literature Rack Obstruction

Literature Rack Obstruction

Cabinet Obstruction
see below for template
(door of cabinet faces front)

PANEL A

PANEL B

PANEL C

PANEL D

PANEL E

PANEL F

bleed area
trim line
safe area

graphic will curve around frame here

4" GAP

no space between panels once mounted

2" GAP

4" GAP


no space between panels once mounted

graphic will curve around frame here

PANEL G
Cabinet Graphic

32.75" width + bleed

Hybrid Pro Modular Kit:
Hybrid Pro Modular Kit 10



TEMPLATE @ 1/2 SIZE

Dye Sub Graphic Panel A and F
Total Graphic Area: 95.4375”w x 98.375”h
Finished Graphic Area: 91.4375”w x 94.4375”h

Dye Sub Graphic Panel B and E
Total Graphic Area: 15.6875 x 98.375”h
Finished Graphic Area: 11.6875”w x 94.375”h

Dye Sub Graphic Panel C and D
Total Graphic Area: 73.0625”w x 98.375”h
Finished Graphic Area: 69.0625”w x 94.375”h

UV Graphic Panel G (Cabinet Door)
Total Graphic Area: 32.625”w x 32.75”h
Finished Graphic Area: 31.625”w x 31.75”h

Please be sure to include a 2” bleed
around the perimeter of panel A, B, C, D, E and F.

Please be sure to include a .5” bleed
around the perimeter of panel G.

Please consider obstructions and spaces
created by the extrusions when designing
your graphics.

General Art Guidelines:

– CMYK Color Mode
– All Solid Coated Pantone colors should be called out in the art as spot colors
– Embed all images and support files
– Resolution must be 200-240 ppi at 1/2 size, 100-120 ppi at full size
– All fonts must be created to outlines
– Do not scale artboard
– Background color/images must bleed to the edge of artboard
– Do not use spot colors from template in your artwork as they will not print

PANEL A

Literatu
Rack
Obstruc

PANEL B

ure
k
tion

PANEL C

Cabinet O
see below f
(door of cabin

Lite
F
Obs

bstruction
for template
net faces front)

PANEL D

erature
Rack
truction

PANEL E

PANEL F

bleed area
trim line
safe area

PANEL G
Cabinet Graphic