Pos	Description US	Part Number	Qty	Comments US
1	Omni-55 A3 frame 19.53"x39.06" A	253 0496 0992 A	2	
2	Omni-55 A3 frame 19.53"x58.58" A	253 0496 1488 A	2	
3	Omni-55 A3 frame 19.53"x78.11" A	253 0496 1984 A	16	
4	Omni-55 A3 frame 19.53"x95.2" A	253 0496 2418 A	6	
5	Omni-55 A3 frame 19.53"x117.17" A	253 0496 2976 A	3	
6	Omni-55 A3 frame 39.06"x58.58" A	253 0992 1488 A	2	
7	Omni-55 A3 frame 39.06"x78.11" A	253 0992 1984 A	4	
8	Omni-55 A3 frame 39.06"x95.2" A	253 0992 2418 A	21	
9	Omni-55 A3 frame 39.06"x117.17" A	253 0992 2976 A	14	
10	Premium Omni-55 door 39.06"x95.2" A	255 0992 2418 A	1	Premounted right
11	Premium Omni-55 door 39.06"x95.2" A	255 0992 2418 A	1	Premounted left
12	Omni-55 A3 R1.4' frame 30.47"x19.53" A	262 0774 0496 A	7	(90° seg)
13	Omni-55 A3 R1.4' frame 30.47"x78.11" A	262 0774 1984 A	1	(90° seg)
14	Omni-55+ A3 profile /m A	11 453 A	2	82.99" (2108mm) (45V 45V)
15	Omni-55+ A3 profile /m A	11 453 A	2	80.55" (2046mm) (45V 45V)
16	Omni-55+ A3 profile /m A	11 453 A	2	68.35" (1736mm) (45V 45V)
17	Omni-55+ A3 profile /m A	11 453 A	2	39.06" (992mm) (45V 45V)
18	Omni-55+ A3 profile /m A	11 453 A	6	19.53" (496mm) (45V 45V)
19	Omni-55+ A3 profile /m A	11 453 A	2	17.09" (434mm) (45V 45V)
20	quick tightener LS D1.18" A	51 16 0130 A	189	
21	quick tightener LS M6/D1.18" x 3.14" quickfix A	51 18 0081 A	9	
22	pin D1.18" fixation M6x1.96" A	55 00 9002 A	2	
23	pin D1.18"/M6 fix A	55 01 0003 A	2	
24	quickfix set T21/4 90° H Z	56 03 1403 Z	16	
25	Basic-55 frame clamp D1.18" in G	59 06 0801 G	2	
26	Basic-55 frame clamp D1.18" T90° I	59 06 0803 I	13	
27	Basic-55 frame clamp D1.18" in G	59 06 0804 G	59	
28	Basic-55 Premium 180° frame clamp T90° I	59 06 3201 I	2	
29	Basic-55 Premium 90° frame clamp T90° I	59 06 3202 I	2	
30	Basic-55 A3 mounting set Z	65 10 0804 Z	4	



Overview



Client	Innova Display			
Ref.	Kalita			Page 1 /3
Project	55685	Version		
Date	18/02/19	Author	DCN	
O: (470)-252-3500 - www.aluvision.com				

Pos	Description US	Part Number	Qty	Comments US
1	Omni-55 A3 frame 19.53"x39.06" A	253 0496 0992 A	2	
2	Omni-55 A3 frame 19.53"x58.58" A	253 0496 1488 A	2	
3	Omni-55 A3 frame 19.53"x78.11" A	253 0496 1984 A	16	
4	Omni-55 A3 frame 19.53"x95.2" A	253 0496 2418 A	6	
5	Omni-55 A3 frame 19.53"x117.17" A	253 0496 2976 A	3	
6	Omni-55 A3 frame 39.06"x58.58" A	253 0992 1488 A	2	
7	Omni-55 A3 frame 39.06"x78.11" A	253 0992 1984 A	4	
8	Omni-55 A3 frame 39.06"x95.2" A	253 0992 2418 A	21	
9	Omni-55 A3 frame 39.06"x117.17" A	253 0992 2976 A	14	
10	Premium Omni-55 door 39.06"x95.2" A	255 0992 2418 A	1	Premounted right
11	Premium Omni-55 door 39.06"x95.2" A	255 0992 2418 A	1	Premounted left
20	quick tightener LS D1.18" A	51 16 0130 A	189	
21	quick tightener LS M6/D1.18" x 3.14" quickfix A	51 18 0081 A	9	
25	Basic-55 frame clamp D1.18" in G	59 06 0801 G	2	
26	Basic-55 frame clamp D1.18" T90° I	59 06 0803 I	13	
27	Basic-55 frame clamp D1.18" in G	59 06 0804 G	59	
29	Basic-55 Premium 90° frame clamp T90° I	59 06 3202 I	2	
30	Basic-55 A3 mounting set Z	65 10 0804 Z	4	

Main Structure



Client	Innova Display			Page 2 /3
Ref.	Kalita			
Project	55685	Version		
Date	18/02/19	Author	DCN	
O: (470)-252-3500 - www.aluvision.com				

Pos	Description US	Part Number	Qty	Comments US
1	Omni-55 A3 frame 19.53"x39.06" A	253 0496 0992 A	2	
2	Omni-55 A3 frame 19.53"x58.58" A	253 0496 1488 A	2	
3	Omni-55 A3 frame 19.53"x78.11" A	253 0496 1984 A	16	
4	Omni-55 A3 frame 19.53"x95.2" A	253 0496 2418 A	6	
5	Omni-55 A3 frame 19.53"x117.17" A	253 0496 2976 A	3	
6	Omni-55 A3 frame 39.06"x58.58" A	253 0992 1488 A	2	
7	Omni-55 A3 frame 39.06"x78.11" A	253 0992 1984 A	4	
8	Omni-55 A3 frame 39.06"x95.2" A	253 0992 2418 A	21	
9	Omni-55 A3 frame 39.06"x117.17" A	253 0992 2976 A	14	
10	Premium Omni-55 door 39.06"x95.2" A	255 0992 2418 A	1	Premounted right
11	Premium Omni-55 door 39.06"x95.2" A	255 0992 2418 A	1	Premounted left
12	Omni-55 A3 R1.4' frame 30.47"x19.53" A	262 0774 0496 A	7	(90° seg)
13	Omni-55 A3 R1.4' frame 30.47"x78.11" A	262 0774 1984 A	1	(90° seg)
14	Omni-55+ A3 profile /m A	11 453 A	2	82.99" (2108mm) (45V 45V)
15	Omni-55+ A3 profile /m A	11 453 A	2	80.55" (2046mm) (45V 45V)
16	Omni-55+ A3 profile /m A	11 453 A	2	68.35" (1736mm) (45V 45V)
17	Omni-55+ A3 profile /m A	11 453 A	2	39.06" (992mm) (45V 45V)
18	Omni-55+ A3 profile /m A	11 453 A	6	19.53" (496mm) (45V 45V)
19	Omni-55+ A3 profile /m A	11 453 A	2	17.09" (434mm) (45V 45V)
20	quick tightener LS D1.18" A	51 16 0130 A	189	
21	quick tightener LS M6/D1.18" x 3.14" quickfix A	51 18 0081 A	9	
22	pin D1.18" fixation M6x1.96" A	55 00 9002 A	2	
23	pin D1.18"/M6 fix A	55 01 0003 A	2	
24	quickfix set T21/4 90° H Z	56 03 1403 Z	16	
25	Basic-55 frame clamp D1.18" in G	59 06 0801 G	2	
26	Basic-55 frame clamp D1.18" T90° I	59 06 0803 I	13	
27	Basic-55 frame clamp D1.18" in G	59 06 0804 G	59	
28	Basic-55 Premium 180° frame clamp T90° I	59 06 3201 I	2	
29	Basic-55 Premium 90° frame clamp T90° I	59 06 3202 I	2	
30	Basic-55 A3 mounting set Z	65 10 0804 Z	4	

Ceiling frame suspension from Main Structure by Innova Display



Connection to Main Structure by Innova Display









Arches



Client	Innova Display			
Ref.	Kalita			Page 3 /3
Project	55685	Version		
Date	18/02/19	Author	DCN	
O: (470)-252-3500 - www.aluvision.com				