2000D BrightLine

Backlit SEG Display

Primary Image Area
36”w x 85”h
Keep text and important images
inside of red line.

Crop Size
40”w x 89”h

Graphic Size with Bleed
42”w x 92”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000D BrightLine

Backlit SEG Display

Primary Image Area
36”w x 85”h
Keep text and important images
inside of red line.

Crop Size
40”w x 89”h

Graphic Size with Bleed
42”w x 92”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000D BrightLine

Backlit SEG Display

Primary Image Area
36”w x 85”h
Keep text and important images
inside of red line.

Crop Size
40”w x 89”h

Graphic Size with Bleed
42”w x 92”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000W2 BrightLine

Backlit SEG Display

Primary Image Area

Keep text and important images
inside of red line.

Crop Size
234.75”w x 90”h

Graphic Size with Bleed
238.25”w x 92.25”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

50% Scale