Hybrid Pro Rental Kit:
Hybrid Pro Modular Kit 24



TEMPLATE @ 1/2 SIZE
Dye Sub Graphic Panels A and B
Total Graphic Area: 47.6875"w x 98.375"h
Finished Graphic Area: 43.6875"w x 94.375"h

Dye Sub Graphic Panel C (door perimeter panel)
Total Graphic Area: 47.4375"w x 98.375"h
Finished Graphic Area: 43.4375"w x 94.375"h

Dye Sub Graphic Panel D (door panel)
Total Graphic Area: 27"w x 85.375"h
Finished Graphic Area: 23"w x 81.375"h

Dye Sub Graphic Panel E
Total Graphic Area: 74.75"w x 98.375"h
Finished Graphic Area: 70.75"w x 94.375"h

Please be sure to include a 2" bleed
around the perimeter of the center graphic.

Please consider obstructions and spaces
created by the extrusions when designing
your graphics.

General Art Guidelines:

– CMYK Color Mode
– All Solid Coated Pantone colors should be called out in the art as spot colors
– Embed all images and support files
– Resolution must be 200-240 ppi @ 1/2 size, 100-120 ppi @ full size
– All fonts must be created to outlines
– Do not scale artboard
– Background color/images must bleed to the edge of artboard
– Do not use spot colors from template in your artwork as they will not print

PANEL A

REPRESENTS
OBSTRUCTION ONLY

PANEL B


PANEL C

PANEL D

PANEL E

bleed area
trim line
safe zone

Hybrid Pro Rental Kit:
Hybrid Pro Modular Kit 24



TEMPLATE @ 1/2 SIZE
Dye Sub Graphic Panels A and B
Total Graphic Area: 47.6875”w x 98.375”h
Finished Graphic Area: 43.6875”w x 94.375”h

Dye Sub Graphic Panel C (door perimeter panel)
Total Graphic Area: 47.4375”w x 98.375”h
Finished Graphic Area: 43.4375”w x 94.375”h

Dye Sub Graphic Panel D (door panel)
Total Graphic Area: 27”w x 85.375”h
Finished Graphic Area: 23”w x 81.375”h

Dye Sub Graphic Panel E
Total Graphic Area: 74.75”w x 98.375”h
Finished Graphic Area: 70.75”w x 94.375”h

Please be sure to include a 2” bleed
around the perimeter of the center graphic.

Please consider obstructions and spaces
created by the extrusions when designing
your graphics.

General Art Guidelines:

– CMYK Color Mode

– All Solid Coated Pantone colors should
be called out in the art as spot colors

– Embed all images and support files

– Resolution must be 200-240 ppi @
1/2 size, 100-120 ppi @ full size

– All fonts must be created to outlines

– Do not scale artboard


– Background color/images must
bleed to the edge of artboard


– Do not use spot colors from template
in your artwork as they will not print

PANEL A

REPRESENTS
OBSTRUCTION ONLY

PANEL B




PANEL C
PANEL D

PANEL D

PANEL E

bleed area
trim line
safe zone