2000K BrightLine

Backlit SEG Display

Primary Image Area
56”w x 92”h
Keep text and important images
inside of red line.

Crop Size
60”w x 96”h

Graphic Size with Bleed
62”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000K BrightLine

Backlit SEG Display

Primary Image Area
56”w x 92”h
Keep text and important images
inside of red line.

Crop Size
60”w x 96”h

Graphic Size with Bleed
62”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print



2000K BrightLine

Backlit SEG Display

Primary Image Area
56”w x 92”h
Keep text and important images
inside of red line.

Crop Size
60”w x 96”h

Graphic Size with Bleed
62”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print



2000K BrightLine

Backlit SEG Display

Primary Image Area
56”w x 92”h
Keep text and important images
inside of red line.

Crop Size
60”w x 96”h

Graphic Size with Bleed
62”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000J BrightLine

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000J BrightLine

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000J BrightLine

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Square Hanging Sign

Blimp Display

Graphic Size
116”w x 35.75“h

Keep text and important images
inside green area.

Graphic Size with Bleed
120”w x 39.75”h

- CMYK color
- Resolutions must be 72-125 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Combination of 4 Sides

Square Hanging Sign

Blimp Display

Graphic Size
116”w x 35.75“h

Keep text and important images
inside green area.

Graphic Size with Bleed
120”w x 39.75”h

- CMYK color
- Resolutions must be 72-125 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Combination of 4 Sides

Square Hanging Sign

Blimp Display

Graphic Size
116”w x 35.75“h

Keep text and important images
inside green area.

Graphic Size with Bleed
120”w x 39.75”h

- CMYK color
- Resolutions must be 72-125 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Combination of 4 Sides

Square Hanging Sign

Blimp Display

Graphic Size
116”w x 35.75“h

Keep text and important images
inside green area.

Graphic Size with Bleed
120”w x 39.75”h

- CMYK color
- Resolutions must be 72-125 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Combination of 4 Sides

Counter BrightLine

Backlit SEG Display

Primary Image Area
31”w x 35”h
Keep text and important images inside of red line.

Crop Size
33.75”w x 37.25”h

Graphic Size with Bleed
36”w x 40”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Counter BrightLine

Backlit SEG Display

Primary Image Area
31”w x 35”h
Keep text and important images inside of red line.

Crop Size
33.75”w x 37.25”h

Graphic Size with Bleed
36”w x 40”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Counter BrightLine

Backlit SEG Display

Primary Image Area
31”w x 35”h
Keep text and important images inside of red line.

Crop Size
33.75”w x 37.25”h

Graphic Size with Bleed
36”w x 40”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Counter BrightLine

Backlit SEG Display

Primary Image Area
31”w x 35”h
Keep text and important images inside of red line.

Crop Size
33.75”w x 37.25”h

Graphic Size with Bleed
36”w x 40”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Not Viewable Area

WaveLine® Waterfall 36'' w x 107'' d x 88.9''h

Tension Fabric Wall Display

Primary Image Area
29" w x 80.7" h
Keep text and important images
inside of red line.

Crop Size
36'' w x 196'' h

Graphic Size with Bleed
40'' w x 200'' h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Shelving installation area:

Keep text and important images outside of red section

Shelving installation area:

Keep text and important images outside of red section

Shelving installation area:

Keep text and important images outside of red section

Not Viewable Area

WaveLine® Waterfall 36'' w x 107'' d x 88.9''h

Tension Fabric Wall Display

Primary Image Area
29" w x 80.7" h
Keep text and important images
inside of red line.

Crop Size
36'' w x 196'' h

Graphic Size with Bleed
40'' w x 200'' h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Shelving installation area:

Keep text and important images outside of red section

Shelving installation area:

Keep text and important images outside of red section

Shelving installation area:

Keep text and important images outside of red section