2000M BrightLine

Backlit SEG Display

Primary Image Area
75”w x 92”h
Keep text and important images
inside of red line.

Crop Size
79”w x 96”h

Graphic Size with Bleed
81”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000M BrightLine

Backlit SEG Display

Primary Image Area
75”w x 92”h
Keep text and important images
inside of red line.

Crop Size
79”w x 96”h

Graphic Size with Bleed
81”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000M BrightLine

Backlit SEG Display

Primary Image Area
75”w x 92”h
Keep text and important images
inside of red line.

Crop Size
79”w x 96”h

Graphic Size with Bleed
81”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000M BrightLine

Backlit SEG Display

Primary Image Area
75”w x 92”h
Keep text and important images
inside of red line.

Crop Size
79”w x 96”h

Graphic Size with Bleed
81”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000V BrightLine

Backlit SEG Display

Primary Image Area
114”w x 92”h
Keep text and important images
inside of red line.

Crop Size
118”w x 96”h

Graphic Size with Bleed
120”w x 98”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000V BrightLine

Backlit SEG Display

Primary Image Area
114”w x 92”h
Keep text and important images
inside of red line.

Crop Size
118”w x 96”h

Graphic Size with Bleed
120”w x 98”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000V BrightLine

Backlit SEG Display

Primary Image Area
114”w x 92”h
Keep text and important images
inside of red line.

Crop Size
118”w x 96”h

Graphic Size with Bleed
120”w x 98”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000V BrightLine

Backlit SEG Display

Primary Image Area
114”w x 92”h
Keep text and important images
inside of red line.

Crop Size
118”w x 96”h

Graphic Size with Bleed
120”w x 98”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print



2000J BrightLine

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000J BrightLine

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000J BrightLine

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000J BrightLine

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000J BrightLine

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000J BrightLine

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000J BrightLine

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000J BrightLine

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Square Hanging Sign

Blimp Display

Graphic Size
116”w x 35.75“h

Keep text and important images
inside green area.

Graphic Size with Bleed
120”w x 39.75”h

- CMYK color
- Resolutions must be 72-125 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Combination of 4 Sides

Square Hanging Sign

Blimp Display

Graphic Size
116”w x 35.75“h

Keep text and important images
inside green area.

Graphic Size with Bleed
120”w x 39.75”h

- CMYK color
- Resolutions must be 72-125 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Combination of 4 Sides

Square Hanging Sign

Blimp Display

Graphic Size
116”w x 35.75“h

Keep text and important images
inside green area.

Graphic Size with Bleed
120”w x 39.75”h

- CMYK color
- Resolutions must be 72-125 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Combination of 4 Sides

Square Hanging Sign

Blimp Display

Graphic Size
116”w x 35.75“h

Keep text and important images
inside green area.

Graphic Size with Bleed
120”w x 39.75”h

- CMYK color
- Resolutions must be 72-125 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Combination of 4 Sides

SHS 10’ Bottom

Blimp Display

Graphic Size
116” w x 116” h

Keep text and important images inside green area.

Graphic Size with Bleed
120” w x 120” h

- CMYK color
- Resolutions must be 72-125 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Counter BrightLine

Backlit SEG Display

Primary Image Area
31”w x 35”h
Keep text and important images inside of red line.

Crop Size
33.75”w x 37.25”h

Graphic Size with Bleed
36”w x 40”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Counter BrightLine

Backlit SEG Display

Primary Image Area
31”w x 35”h
Keep text and important images inside of red line.

Crop Size
33.75”w x 37.25”h

Graphic Size with Bleed
36”w x 40”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print