2000V BrightLine

Backlit SEG Display

Primary Image Area
114”w x 92”h
Keep text and important images
inside of red line.

Crop Size
118”w x 96”h

Graphic Size with Bleed
120”w x 98”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000V BrightLine

Backlit SEG Display

Primary Image Area
114”w x 92”h
Keep text and important images
inside of red line.

Crop Size
118”w x 96”h

Graphic Size with Bleed
120”w x 98”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000V BrightLine

Backlit SEG Display

Primary Image Area
114”w x 92”h
Keep text and important images
inside of red line.

Crop Size
118”w x 96”h

Graphic Size with Bleed
120”w x 98”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000V BrightLine

Backlit SEG Display

Primary Image Area
114”w x 92”h
Keep text and important images
inside of red line.

Crop Size
118”w x 96”h

Graphic Size with Bleed
120”w x 98”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000V BrightLine

Backlit SEG Display

Primary Image Area
114”w x 92”h
Keep text and important images
inside of red line.

Crop Size
118”w x 96”h

Graphic Size with Bleed
120”w x 98”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

B3 StraightLine

Modular SEG Display

Primary Image Area
32”w x 85”h
Keep text and important images
inside of red line.

Crop Size
36”w x 89”h

Graphic Size with Bleed
39”w x 92”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

B3 StraightLine

Modular SEG Display

Primary Image Area
32”w x 85”h
Keep text and important images
inside of red line.

Crop Size
36”w x 89”h

Graphic Size with Bleed
39”w x 92”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

B3 StraightLine

Modular SEG Display

Primary Image Area
32”w x 85”h
Keep text and important images
inside of red line.

Crop Size
36”w x 89”h

Graphic Size with Bleed
39”w x 92”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

B3 StraightLine

Modular SEG Display

Primary Image Area
32”w x 85”h
Keep text and important images
inside of red line.

Crop Size
36”w x 89”h

Graphic Size with Bleed
39”w x 92”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Counter BrightLine

Backlit SEG Display

Primary Image Area
31”w x 35”h
Keep text and important images inside of red line.

Crop Size
33.75”w x 37.25”h

Graphic Size with Bleed
36”w x 40”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Counter BrightLine

Backlit SEG Display

Primary Image Area
31”w x 35”h
Keep text and important images inside of red line.

Crop Size
33.75”w x 37.25”h

Graphic Size with Bleed
36”w x 40”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Counter BrightLine

Backlit SEG Display

Primary Image Area
31”w x 35”h
Keep text and important images inside of red line.

Crop Size
33.75”w x 37.25”h

Graphic Size with Bleed
36”w x 40”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

Counter BrightLine

Backlit SEG Display

Primary Image Area
31”w x 35”h
Keep text and important images inside of red line.

Crop Size
33.75”w x 37.25”h

Graphic Size with Bleed
36”w x 40”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print