2000D BrightLine

Backlit SEG Display

Primary Image Area
36”w x 85”h
Keep text and important images
inside of red line.

Crop Size
40”w x 89”h

Graphic Size with Bleed
42”w x 92”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000D BrightLine

Backlit SEG Display

Primary Image Area
36”w x 85”h
Keep text and important images
inside of red line.

Crop Size
40”w x 89”h

Graphic Size with Bleed
42”w x 92”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000D BrightLine

Backlit SEG Display

Primary Image Area
36”w x 85”h
Keep text and important images
inside of red line.

Crop Size
40”w x 89”h

Graphic Size with Bleed
42”w x 92”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

2000F BrightLine

Backlit SEG Display

Primary Image Area
114”w x 85”h
Keep text and important images
inside of red line.

Crop Size
118”w x 89”h

Graphic Size with Bleed
120”w x 92”h

- CMYK color
- Resolutions must be 72-125 ppi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print